



CofR

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the patent of:

Attorney Docket No. 1101.111US02

Ellingsrud et al.

Confirmation No. 9358

Patent No.: 6,864,684

Application No.: 10/770,115

Issued: March 8, 2005

Filed: February 2, 2004

For: ELECTROMAGNETIC METHODS AND APPARATUS FOR DETERMINING THE
CONTENT OF SUBTERRANEAN RESERVOIRS

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.322

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Certificate
JUN 06 2005
of Correction

Sir:

It is respectfully requested that a Certificate of Correction be issued to correct the errors specified in the attached duplicate copies of Certificate of Correction Form PTO-1050.

It is believed that the errors are on the part of the Patent and Trademark Office, and therefore no fee is due in relation to this matter in accordance with the provisions of 37 C.F.R. § 1.322. However, please charge any fee due to Deposit Account No. 16-0631 to ensure prompt issuance of a Certificate of Correction.

Respectfully submitted,


James H. Patterson
Registration No. 30,673

JUN 6 2005

JUN 6 2005


Patent No. 6,864,684

Customer No. 24113
Patterson, Thunte, Skaar & Christensen, P.A.
4800 IDS Center
80 South 8th Street
Minneapolis, Minnesota 55402-2100
Telephone: (612) 349-5741

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

05/26/05
Date of Deposit


James H. Patterson

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO :6,864,684
DATED :March 8, 2005
INVENTOR(S) :Ellingsrud et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4:

Line 20, delete " $0.1s \leq \lambda \leq 5s$;" --and insert --" $0.1s \leq \lambda \leq 5s$;"--.
Line 28, delete " $0.5 \lambda \leq L \leq 10 \lambda$;" and insert --" $0.5 \lambda \leq L \leq 10 \lambda$;"--.

Column 6:

Line 10, delete " $0.1s \leq \lambda = 10s$;" and insert --" $0.1s \leq \lambda \leq 10s$;"--
Line 18, delete " $0.5 \lambda \leq L \leq 10 \lambda$;"and insert --" $0.5 \lambda \leq L \leq 10 \lambda$;"--.

Column 7:

Line 7, delete " $0.1s = \lambda 10s$;" and insert --" $0.1s \leq \lambda \leq 10s$;"--.
Line 17, delete " $0.5 \lambda \leq L \leq 10 \lambda$;" and insert --" $0.5 \lambda \leq L \leq 10 \lambda$;"--.

MAILING ADDRESS OF SENDER:
Customer No. 24113
James H. Patterson
PATTERSON, THUENTE, SKAAR & CHRISTENSEN, P.A.
4800 IDS CENTER
80 SOUTH EIGHTH STREET
MINNEAPOLIS, MN 55402-2100

PATENT NO. 6,864,684

No. of additional copies _____

JUN 6 2005